

CORRES. CONTROL  
INCOMING LTR NO.

00500 RF04

<u>DUE DATE</u>	<u>ACTION</u>
06-07-89	1. Review and approve the proposed action plan.
06-14-89	2. Implement the approved action plan.
06-21-89	3. Monitor progress and report back to the committee.
06-28-89	4. Evaluate results and make adjustments as needed.
07-05-89	5. Prepare final report and submit to the board.
07-12-89	6. Present findings and recommendations to the public.
07-19-89	7. Follow up on implementation and ensure long-term success.
07-26-89	8. Close out the project and archive all documents.
08-02-89	9. Conduct a post-mortem analysis of the project's effectiveness.
08-09-89	10. Disseminate lessons learned to other departments.
08-16-89	11. Update policies and procedures based on project outcomes.
08-23-89	12. Schedule a follow-up meeting to discuss future initiatives.
08-30-89	13. End of project timeline.



## Department of Energy

ROCKY FLATS PROJECT OFFICE  
10808 HIGHWAY 93, UNIT A  
GOLDEN, COLORADO 80403-8200

OCT 22 2004

RECEIVED

2004 NOV -2 A 5: 55

CORRESPONDENCE  
CONTROL-DOE-00801

[illegible]

Mr. Steven H. Gunderson  
Rocky Flats Cleanup Agreement Project Coordinator  
Colorado Department of Public Health and Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80246-1530

Dear Mr. Gunderson:

Provided for your review and approval is the Reconnaissance Level Characterization Report (RLCR) for Buildings 664 and T664A. The report characterizes the physical, chemical and radiological hazards associated with these facilities, summarizes the characterization activities, defines the Data Quality Objectives developed for this characterization, and presents the data quality assessment, verification and validation of results. Since Building 664 functioned as RCRA Unit 20, a separate Closure Description Document has been submitted and approved by CDPHE. RCRA Unit 20 will be closed prior to demolition and documented in the Building 664 Closeout Report. Based on this RLCR and subject to your concurrence, Building 664 and T664A are considered RFCA Type I facilities pursuant to the RFETS Decommissioning Program Plan (DPP; K-H, 1999) and are acceptable for demolition.

Questions may be directed to Gary Morgan at (303) 966-6003.

Sincerely,

Joseph A. Legare, Director  
RFPO Project management


Enclosure

cc w/o Encl:  
M. Aguilar, USEPA  
D. Abelson, RFCLOG  
G. Morgan, HQPM, RFPO  
D. Ferrea, K-H RISS  
S. Nesta, K-H RISS Env  
C. Freiboth, K-H RISS D&D  
K. Wiemelt, K-H RISS D&D

cc w/Encl:  
F. Lockhart, OOM, RFPO  
Administrative Record

COR. CONTROL	X
ADMIN. RECORD	X
PATS/130	


Reviewed for Addressee  
Corres. Control RFP

11/2/04   
Date By

Ref. Ltr. #

DOE ORDER #

5400-1



ADMIN RECORD

**LA-A-002408**